## Comment for planning application WSCC/045/20

Application number	WSCC/045/20
Name	Mrs Evalene Beale
Address	OAKLAND, STOCKCROFT ROAD, STOCKCROFT ROAD, HAYWARDS HEATH, RH17 6LH
Type of Comment	Objection
Comments	I objected for many reasons. The increase HGV traffic going through the village, going past the school is a big worry! Many of the vehicles are 6 -axle HGVs that take up the entire length of the school as they wait to go down London Road and many of these vehicles are tall and there's the risk of hitting the low slung power lines. Flaring, the flare will be on the site for a year and the site is below the village so the prevailing wind will blow up any pollutants straight towards our residents in Balcombe. There's a risk to water and geology: Regarding an independent report which found that the oil well was not sound in all sections which 'increases the risk to ground water quality'. Angus energy's understanding of risk to groundwater systems is wholly inadequate. From the (Tapajos Hydrology report 2019). Seismic risk: Oil developments in the weald and elsewhere have been associated with proved to cause earthquakes. This not a temporary thing: Each time an oil company works here it sets a precedent for more work to follow! They are flow testing for oil and will be producing oil in the hope the company can apply for further production. Which will be yet more disruption to locals for little gain and of course this will contribute to climate change!
Received	26/09/2020 16:03:58
Attachments	