

1. ALL DIMENSIONS ARE IN METRES UNLESS STATED

OTHERWISE BEDDING TO PIPE SHALL BE TYPE S TO HCD DRG

COVER GRADE SHALL BE MINIMUM D400 UNLESS OTHERWISE AGREED WITH THE HIGHWAY

INSPECTOR 675mm CLEAR OPENING. MANHOLE COVER AND FRAMES SHALL COMPLY WITH THE RELEVANT PROVISIONS OF BS EN 124, BS 7903 AND HIGHWAY AGENCY GUIDANCE DOCUMENT HA 104/02. THEY SHALL BE A NON-ROCKING DESIGN WHICH DOES NOT RELY ON THE USE OF CUSHION INSERTS. ALL MANHOLES COVERS SHALL BE NON-VENTILATING TYPE AND SHALL HAVE CLOSED KEYWAYS.

ON MANHOLES LESS THAN 1.5mø REDUCING SLAB NOT TO BE USED AND PC RINGS TO CONTINUE UP TO COVER SLAB

FT1 BADGER MESH FENCING, MCHW H46 MESH TO BE BURIED 300mm DEEP AND RETURNED 300mm AND FIXED TO POST AND THREE RAIL FENCE

> SAFETY, HEALTH AND **ENVIRONMENTAL INFORMATION**

IN ADDITION TO THE HAZARDS/RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING

CONSTRUCTION

MAINTENANCE / CLEANING

DECOMMISSIONING / DEMOLITION D1. NONE IDENTIFIED

> IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT

P05 KS KS AB DRAWING TITLE AMENDED

P04 KS KS AB NOTE AMENDED FOR TUNNEL HEADWALL 23/11/20 AND PIPE BEND DEGREE

P03 JB BW KS BADGER TUNNEL CROSS SECTION AMENDED 28/10/20

Purpose of Issue

For Acceptance

Commercial in Confidence



Date

Status

S4

BS1192 Compliant

P05

A29 Realignment Scheme

Wildlife Crossing

Checked Approved ÅS SHOWN JB KS AJB Project No. 25-08-20

Drawing Identifier

Project - Originator - Zone - Level - File Type - Role - Number A29-CAP-HGN-00-DR-C-0187

HighwaysCapita House, Wood Street,East Grinstead, RH19 1UU

www.capitaproperty.co.uk

REPRODUCED FROM 2017 ORDNANCE SURVEY MASTER MAPPING WITH THE PERMISSION OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE CROWN COPYRIGHT AND MAY LEAD TO PROSECUTION OR CIVIL PROCEEDINGS. LICENCE No. W.S.C.C. 100023447