Comment for planning application WSCC/030/21

Application number	WSCC/030/21		
Name	Julian Chute		
Address	SAWASDEE, LOXWOOD ROAD, LOXWOOD ROAD, HORSHAM, RH12 3DW		
Type of Comment	Objection		
Comments	I strongly object to this planning application, for the following reasons:-Suitability of Use for the Area- This location is quiet, remote & tranquil. There is no light pollution here, this will be required for this project. The project will seriously affect the ability of people to walk through the area, with the impact of generators to create power, producing noise & pollution. HGV movements, skip lorries & whele wash facility will result in substantial noise, disturbing the tranquil surroundings. Environment-1 understand that this area is highly stressed for warer's that this will worsen due to the project. Mature trees will be felled, having an adverse effect on the local bat population (4 threatened species have been identified on this site). There will be an increase in net carbon emissions, due to the burning of fossil fuels & removal of the tay-by.parking & wheel wash area, this & other local wildlife will be impacted. This lay- by parking area/wheel wash is in irreplaceable designated ancient woodland. Traffic-HGV traffic will severely affect the local 'bulges. It has been estimated that HGV traffic volumes will incr by approx 300%-this will create a high safety risk for the existing traffic on Loxwood Rd, & on pedestrians(narrow pavements). The access to the site is also a serious concern & will potentially be asevere risk to other rd users & pedestrians. Loxwood Rd is only 5.1m wide at its narrowest point & 5.5m wide along most of its length. The volume of HGV movements will result in high passing speeds on a restricted width carriageway. There is a severe highway safety issue from HGV's entering & exiting the Loxwood Rd, at waliability of parking for walkers, hores riders, cyclicits will be lost to those currently enjoying the area. Conflicts will arise due to the HGV's queuing, entering & leaving the site, with private whelce, creating a severe rd safety risk. Debmand for Clay-According to the lastex WSCC Minerals Monitoring Report, there is NO demand for additional brickmaking clay, as more than 2		

narrow country lane affecting many residential properties,& then a further woodlands,to be sorted & then a significant percentage of it driven back as route to the main rd.Please take my objections into account & reject this a Julian Chute	gain along the same 4.55km
--	----------------------------

Received 08/08/2021 15:22:54

Attachments